HOBART

WAREWASHING

UTENSIL WASHERS **UP** | **UX**




HOBART
TOTAL PERFORMANCE
IN YOUR KITCHEN
At HOBART, we take pride in providing reliable and innovative high quality kitchen equipment that has been engineered to ensure that whatever challenges the day may bring - you can make it happen with HOBART.
Let's make it happen!
STRONG CRAFTSMANSHIP


HOBART
STRONG
WASHPOWER


HOBART
7 MARKETS
Countless challenges
1 SOLUTİON

HOSPITALITY

Bar & Pub / Bistro & Café /
Hotel & Restaurant

FOODSERVICE

Hospital / Nursing home /
Canteen / School & University

BAKERY

Bakery subsidiary / Production / Bakery industry

MEAT PRODUCTION

Butchery / Meat production industry

INDUSTRY

GLOBAL MARINE

AIRLINE CATERING





PROFI OR PREMAX
IT'S YOUR CHOICE!

The **PROFI** line – everything a professional operator needs. This successful product series from HOBART can be found wherever the highest standards of cleanliness are required, tailored to the volumes to be washed and the degree of soiling of the wash ware. It combines efficient warewashing with ultimate user-friendliness and low operating costs. Numerous equipment options make the **PROFI** line a perfectly suited warewashing solution for any operation.

PROFI LINE

The **PREMAX** line is the perfect choice for operators that need a higher level of proficiency in all areas: minimal operating costs and impressive user-friendliness, combined with high performance. Our **PREMAX** line is one of the most economical and innovative lines of dishwashers on the market. In addition to the features of the **PROFI** models, **PREMAX** wins over users with its special product characteristics, proving to be the ideal partner for the highest standards in warewashing.

PREMAX LINE

THE MODELS
WE HELP YOU WITH YOUR DECISION!

PROFI **UX**

Cleans pots, cast iron cookware, trays, boxes and baskets with optimal wash results. HOBART can wash 4 bakery baskets in one wash cycle.



PROFI **UXT**

The right model for large washing volumes. The **PROFI** UXT model offers double the capacity compared to the **PROFI** UX and can wash 6 bakery baskets at once.



PROFI **UXTH**

The hood-type model makes it easier to load and unload the machine. Manual pre-washing is comfortable and ergonomic as the rack can be simply pushed into the machine.



PROFI **UXTLH**

The above average loading height of the **PROFI** UXTLH offers plenty of space, increases the capacity per wash cycle, especially by washing baking sheets and bakery baskets, and is therefore ideal for use in bakeries.



PREMAX LINE EXCLUSIVE

PREMAX **UP**

The utensil washer with a lateral wash system. Compared to other models, this enables the **PREMAX** UP to offer triple the capacity in the same space. Innovative and efficient cleaning systems ensure a optimal wash result with significantly less manual pre-washing.



PREMAX **UPT**

The **PREMAX** UPT offers all the advantages of the **PREMAX** UP combined with double the capacity compared to a conventional twin rack utensil washer.



OPTIMAL WASH RESULT

PREMAX LINE EXCLUSIVE

DETERGENT DIRECT SPRAYING SYSTEM

Soaking with concentrated detergent

Heavily burnt food stains such as:
- mashed potatoes
- potatoes au gratin
- rice and pasta

require a much higher concentration of cleaning chemicals.

Therefore, **PREMAX** utensil washers spray the concentrated detergent solution directly onto the utensils. The solution acts on the stains for 30 seconds before being washed off by hot steam. This significantly reduces or completely eliminates the need for manual pre-soaking.

PREMAX LINE EXCLUSIVE

VAPO-ACTIVE STEAM WASHING


Cleans heavily burnt or stained utensils


Burnt starches or fat stains on kitchen utensils are often very resistant to cleaning. **PREMAX** utensil washers clean even these heavy stains with hot steam.

- This breaks up the structure of the encrusted dirt.
- The washing temperature is increased in a very short time.
- This higher temperature significantly improves the detergent's effect.
- This is how you achieve optimal, hygienic wash results.

DETERGENT RECOMMENDATION
We recommend using the HOBART HLU-32 detergent in combination with the detergent direct spraying system.







ROTOR-X WASH SYSTEM

Special wash arms

The HOBART cross joint 4-spoke wash arms excel with their extensive wash performance.

- The wash arms double the contact time of the water with the wash ware.
- The washing efficiency is increased by 100 % compared to 1-spoke wash arms.
- Wide-angle nozzles distribute the water optimally over the washing utensils.

Your result
An optimal cleaning result over the entire surface.

The rotating ROTOR-X wash system consists of a top and a bottom cross joint wash arm. The models **PROFI** UXT, UXTH, UXTLH und **PREMAX** UPT have two cross joint wash arms.

POWER WASH

Strong wash pressure for heavy dirt

Utensil washers generally wash with a significantly higher water pressure than other dishwashers. POWER wash creates the required high wash pressure by:

- Wash arms with special impulse spray nozzles.
- Wash pumps with a higher performance.

This combination provides a hygienic wash result, even with heavily encrusted utensils.


HOBART

OPTIMAL WASH RESULT

SENSO-ACTIVE RESOURCE MANAGEMENT

Responsible water consumption

The quality of the water is monitored constantly and water consumption is adapted accordingly. For smaller amounts of soil, water consumption remains low; for more soil, it is increased.

Reduced operating costs
The innovative use of resources alone significantly reduces operating costs.

Your benefits
- Reliable wash results even with a high levels of soiling.
- Machine corrects operating errors.
- Consistent regeneration of the wash solution with sufficient fresh water.
- Complete pump-out and refill is no longer necessary.

GENIUS-X² FINE FILTER SYSTEM

Constantly keeps the wash solution clean

The enhanced fine filter system cleans soiled water in just three steps, reducing detergent consumption.

The tank stays clean
Coarse soil and food waste are collected in the strainer basket, preventing them from reaching the tank.

Fine soil is removed
The collected fine soil is discharged from the machine after 10 seconds.

Washing does the rest
The residual fine soil is collected during washing and then pumped out.

Bonus benefit
During pump-out, the system cleans itself automatically, meaning manual cleaning is eliminated.





EASY HANDLING

VISIOTRONIC-TOUCH CONTROL

Simple operation for everyone

Single-button control in conjunction with a colour touchscreen – it couldn't be easier. The VISIOTRONIC-TOUCH control simplifies the use of your machine considerably and shows all the important information on the display using text and symbols.

Your benefits

- Easy selection of programmes.
- Easy settings.
- All important information is available at a glance.



REMAINING TIME INDICATOR

A constant overview of the wash process

As an enhancement to the VISIOTRONIC-TOUCH control, the HOBART dishwashers display the progress of the programme.

- Blue: Programme just started.
- Partly green: Machine is washing.
- Green: Programme finished / machine ready to start.
- Red: Error or notification.



REFILL SIGNAL

Simple and efficient level control

When using the optional suction lances for detergent and rinse aids, the refill signal system monitors the contents of external chemical canisters. This ensures that you are provided with a timely notification of when detergent and rinse aid must be refilled, ensuring constant problem-free wash results.

HYGIENE PROGRAMME
Eliminates germs and bacteria

Over time, limescale and soil particles can build up inside your machine. With the hygiene programme, germs and bacteria do not stand a chance.

Alerts on the display tell you when you should next use the hygiene programme. After that, it's just a case of putting a hygiene tab into the machine and starting the programme. After just a short time, your utensil washer is hygienically clean again.

An overview of your benefits
- Fast removal of limescale deposits.
- Soil residue is cleaned from the machine.
- Provides a fresh smell.

HOOD LIFT
Simple use via one push of a button

User-friendly and energy-saving: with the optional HOBART hood lift, you can close your hood-type utensil washer with the push push of a button. After the wash process, the hood opens automatically.



BLOCKED FILTER SENSOR
Rinse with foresight

Strainers quickly become clogged in the presence of heavy soiling. For the dishwasher to perform at full capacity, the strainers must be cleaned regularly. But when is the right time?

The intelligent blocked filter sensor detects when the strainers need to be cleaned and lets you know with a warning on the control display.

VAPOSTOP
Puts an end to clouds of steam

We all know the feeling of opening a dishwasher right after it has finished, and being hit in the face with a cloud of steam.

Those days are over: the optional VAPOSTOP uses a multi-stage ventilation system to extract the hot 60 °C waste steam from the inside of the machine, thereby preventing the steam from escaping.

Your benefits
- Cools the transfer air.
- Improves indoor climate.
- Makes work easy.

CLIP-IN WASH AND RINSE SYSTEM
Make cleaning the machine as simple as possible

To make your work as easy as possible, the wash and rinse system can be removed and reinserted in just one step using the CLIP-IN system.

HIGH LEVEL OF ECONOMY

PREMAX LINE EXCLUSIVE

LATERAL GUIDE RAILS

Increased capacity and flexibility


The lateral guide rails significantly increase the utensil washer's cleaning capacity per cycle for GN plates and butcher boxes, compared to models without side wash system:

- **PREMAX** UP triples capacity from 2 to 6 GN plates.
- **PREMAX** UPT doubles capacity from 4 to 8 GN plates.

The utensil washer's efficiency increases owing to the considerably higher GN pan and butcher box capacity. This saves up to 1,000 working hours per year.







EXHAUST HEAT RECOVERY

Not thin air, but hot air

The exhaust heat recovery, available as an option for front-door models, uses the energy from the 60 °C hot waste steam to pre-heat the fresh water. Humidity and energy do not escape the machine uncontrollably, but are used inside the dishwasher with a heat exchanger.

Your benefits

- Reduction in energy consumption in the boiler by up to 28%.*
- Reduction in operating costs.
- Improved indoor climate.

DRAIN HEAT RECOVERY

Sophisticated use of waste water

The energy of the 60 °C hot waste water is used to heat up the fresh water. And this is how it works: the drain heat recovery option directs the hot waste water along the fresh inflowing water. This heats the fresh water to 40 °C before it reaches its required final rinse temperature in the boiler.

Your benefits

- Reduction in energy consumption in the boiler by up to 35%.*
- Reduction in operating costs.



FULLY ENCLOSED HOOD

The clever way of minimising the amount of steam that escapes


Better indoor climate – as standard

Thanks to the fully enclosed hood, the hot waste steam remains in the system and is not released to the room. The indoor climate is thereby less contaminated and energy isn't lost.

Your benefits

- Noticeable improvement of indoor climate in the wash up area.
- Energy loss is reduced significantly.

ANYBODY WANTS TO SAVE ENERGY COSTS, WITH HOBART YOU SAVE MORE!



* Compared to a HOBART dishwasher without exhaust heat recovery or without drain heat recovery at a fresh water inlet temperature of 15 °C.


HOBART



RELIABILITY & FLEXIBILITY

REDUCIBLE MACHINE HEIGHT
For rooms with low ceilings

The machine height of the **PROFI** UX and UXT can be reduced by 217 mm (with the door open). This means that the machine can also be installed in rooms with low ceilings. The loading height is then 650 mm.

EXTRA LARGE LOADING HEIGHT
For oversized wash ware

Depending on the model, the extra large opening offers space for up to
- 6 bakery baskets
- large serving trays (600 x 800 mm)
- baking sheets (600 x 800 mm)


DOUBLE CAPACITY
For large washing volumes

The **PROFI** UXT, UXTH and UXTLH models are the solution for high capacity requirements.

You can wash up to
- 6 bakery baskets
- 16 baking sheets
- 3 EN containers

at the same time.

This avoids unnecessary waiting periods and increases your capacity.




HOBART
HOBART
SMART
CONNECT

SMARTCONNECT

HOBART SMARTCONNECT APP

Key features at a glance

The HOBART SmartConnect app* provides you with a comprehensive overview of the status of your dishwasher.

Connect, learn, benefit

Based on this data, you can avoid downtime and contact HOBART customer service or an approved service partner. SmartConnect also provides illustrated instructions for smaller malfunctions so that you can rectify them yourself.

*Free of charge. Pricing subject to alteration.

You can find more information on the availability of SmartConnect in different countries and languages as well as further information at www.HobartSmartConnect.com

An overview of all functions

- Machine status (keep up-to-date with regard to the statuses of all your machines)
- Machine information (with all important settings and machine information)
- Recording of error codes (in addition, you will be notified by email of any system errors)
- Operating costs calculator (overview of the consumption costs)
- Hygiene information (as a log book)
- Machine operation (information about the efficient use of the machine)
- Settings for certain machine parameters can be configured via the app






DRAWINGS


UTENSIL WASHER FRONT DOOR MODELS

UX




* Loading height can be reduced to 650 mm
** Height with open door can be reduced to 2,200 mm
*** with exhaust heat recovery
**** with drain heat recovery 810 mm

UP




* Loading height can be reduced to 650 mm
** with exhaust heat recovery
*** Distance between lateral guide rails: 520 mm

UXT



* Loading height can be reduced to 650 mm
** Height with open door can be reduced to 2,200 mm
*** with exhaust heat recovery

UPT




* Loading height can be reduced to 650 mm
** with exhaust heat recovery

① Drain hose ② Fresh water connection ㉔ Separate tank filling ③ Connection cable ④ Liquid detergent [a] ⑤ Rinse aid [a] ⑥ Liquid detergent [b]
[a] for machines with external containers [b] for machines with detergent direct spraying system


DRAWINGS

UTENSIL WASHER HOOD-TYPE MODELS

UXTH



UXTLH



① drain hose ② fresh water connection ③ connection cable ④ Liquid detergent [a] ⑤ Rinse aid [a]

[a] for machines with external detergent containers

FEATURES

MODELS	PROFI LINIE UX	UXT	UXTH
Model type	Front door	Front door	Hood-type
WASH WARE			
Description	Pots, GN pans, serving trays, all kinds of utensils, 2 EN containers, 8 baking sheets up to 600 x 800 mm, 4 bakery baskets	Pots, GN pans, serving trays, all kinds of utensils, 3 EN containers, 16 baking sheets up to 600 x 800 mm, 6 bakery baskets	Pots, GN pans, all kinds of utensils, 3 EN containers, 8 baking sheets up to 600 x 800 mm, 3 bakery baskets
OPTIMAL WASH RESULT			
VAPO-ACTIVE steam washing	–	–	–
Detergent direct spraying system	–	–	–
ROTOR-X wash system	●	●	●
POWER wash	●	●	●
GENIUS-X² fine filter system	●	●	●
Interlocked strainer	●	●	●
EASY HANDLING			
VAPOSTOP	O	O	–
VISIOTRONIC-TOUCH control	●	●	●
Remaining time indicator	●	●	●
Integrated water softener	O	–*	–*
Hood lift	–	–	O
Refill signal for chemistry containers	O	O	O
Blocked filter sensor	●	●	●
Hygiene programme	●	●	●
Rinse aid and detergent dispenser	●	●	●
EASY-CLEAN concept	●	●	●
CLIP-IN wash and rinse system	●	●	●
USB interface	●	●	●
Integrated WiFi module	●	●	●
SmartConnect app*	●	●	●
HIGH LEVEL OF ECONOMY			
Increased capacity and flexibility	–	–	–
Exhaust heat recovery	O	O	–
Drain heat recovery	O	O	O
Exhaust energy storage	–	–	●
Heat and soundproof hood	–	–	O
SENSO-ACTIVE resource management	●	●	●
FLEXIBILITY			
Double capacity	–	●	●
Reducible machine height	●	●	–

● Inclusive O Optional – Not available * External water softening system recommended

MODELS	PROFI LINE UXTLH	PREMAX LINE UP	PREMAX LINE UPT
Model type	Hood-type	Front door	Front door
WASH WARE			
Description	Pots, GN pans, serving trays, all kinds of utensils, 3 EN containers, 16 baking sheets up to 600 x 800 mm, 6 bakery baskets	Pots, serving trays, all kinds of utensils, 6 GN pans (1/1), 4 EN containers	Pots, serving trays, all kinds of utensils, 8 GN pans (1/1), 5 EN containers
OPTIMAL WASH RESULT			
VAPO-ACTIVE steam washing	–	● PREMAX LINE EXCLUSIVE	● PREMAX LINE EXCLUSIVE
Detergent direct spraying system	–	● PREMAX LINE EXCLUSIVE	● PREMAX LINE EXCLUSIVE
ROTOR-X wash system	●	●	●
POWER wash	●	●	●
GENIUS-X² fine filter system	●	●	●
Interlocked strainer	●	●	●
EASY HANDLING			
VAPOSTOP	–	O	O
VISIOTRONIC-TOUCH control	●	●	●
Remaining time indicator	●	●	●
Integrated water softener	–*	–*	–*
Hood lift	O	–*	–*
Refill signal for chemistry containers	O	O	O
Blocked filter sensor	●	●	●
Hygiene programme	●	●	●
Rinse aid and detergent dispenser	●	●	●
EASY-CLEAN concept	●	●	●
CLIP-IN wash and rinse system	●	●	●
USB interface	●	●	●
Integrated WiFi module	●	●	●
SmartConnect app*	●	●	●
HIGH LEVEL OF ECONOMY			
Increased capacity and flexibility	–	● PREMAX LINE EXCLUSIVE	● PREMAX LINE EXCLUSIVE
Exhaust heat recovery	–	O	O
Drain heat recovery	O	O	O
Fully enclosed hood	●	–	–
Heat and soundproof hood	O	–	–
SENSO-ACTIVE resource management	●	●	●
FLEXIBILITY			
Double capacity	●	–	●
Reducible machine height	–	–	–

● Inclusive O Optional – Not available * External water softening system recommended

*You can find more information on the availability of SmartConnect in different countries and languages as well as further information at www.HobartSmartConnect.com. Free of charge. Pricing subject to alteration.

TECHNICAL DATA

MODELS	PROFI LINE UX	UXT	UXTH	UXTLH
CYCLE TIMES*	120 / 240 / 360 sec. and special programmes	120 / 240 / 360 sec. and special programmes	120 / 240 / 360 sec. and special programmes	120 / 240 / 360 sec. and special programmes
CAPACITY				
Racks	30 /h	30 /h	30 /h	30 /h
Trays (600 x 800 mm)	240 /h	480 /h	240 /h	480 /h
EN containers	60 /h	90 /h	90 /h	90 /h
Bakery baskets	120 /h	180 /h	90 /h	180 /h
GN (1/1)	60 /h	120 /h	120 /h	120 /h
TANK CAPACITY	80 l	130 l	130 l	130 l
WATER CONSUMPTIO N	4.1 l/Korb	6.9 l/Korb	6.9 l/Korb	6.9 l/Korb
WASH PUMP	2.9 kW | 1,150 l/min	2 x 2.9 kW | 2 x 1,150 l/min	2 x 2.9 kW | 2 x 1,150 l/min	2 x 2.9 kW | 2 x 1,150 l/min
Tank heating	3.3 kW	6.1 kW	6.1 kW	6.1 kW
BOOSTER LOADING				
Standard	12.4 kW	15.3 kW	15.3 kW	15.3 kW
Alternative	6.2 kW	9.1 kW	9.1 kW	9.1 kW
TOTAL LOADING				
Standard	15.1 kW | 3 x 25 A	20.6 kW | 3 x 35 A	20.6 kW | 3 x 35 A	20.6 kW | 3 x 35 A
Alternative	12.5 kW | 3 x 20 A	15.5 kW | 3 x 25 A	15.5 kW | 3 x 35 A	15.5 kW | 3 x 35 A
Power supply	400 / 50 / 3N	400 / 50 / 3N	400 / 50 / 3N	400 / 50 / 3N
DIMENSIONS				
Loading height	860 mm	860 mm	620 mm	880 mm
Rack size	600 x 760 mm	1,240 x 700 mm	1,240 x 700 mm	1,240 x 700 mm

*The machine is equipped with an automatic cycle-time control which ensures hygienic rinse temperatures, even on a cold-water supply or with reduced heating performance.

MODELS	PREMAX LINE UP	PREMAX LINE UPT
CYCLE TIMES*	120 / 240 / 280 sec. and special programmes	120 / 240 / 280 sec. and special programmes
CAPACITY		
Racks	30 /h	30 /h
Trays (600 x 800 mm)	210 /h	450 /h
EN containers	120 /h	150 /h
Bakery baskets	60 /h	120 /h
GN (1/1)	180 /h	240 /h
TANK CAPACITY	80 l	130 l
WATER CONSUMPTION	8 l/rack	14 l/rack
WASH PUMP	2.9 kW | 1,150 l/min	2 x 2.9 kW | 2 x 1,150 l/min
Tank heating	3.3 kW	6.1 kW
BOOSTER LOADING		
Standard	15.3 kW	18.1 kW
Alternative	9.1 kW	9.1 kW
TOTAL LOADING		
Standard	18 kW | 3 x 32 A	23.5 kW | 3 x 40 A
Alternative	15.3 kW | 3 x 25 A	18.3 kW | 3 x 32 A
Power supply	400 / 50 / 3N	400 / 50 / 3N
DIMENSIONS		
Loading height	860 mm	860 mm
Rack size	600 x 760 mm	1,240 x 700 mm

CONCEPT SOLUTIONS for optimised wash results

WATER TREATMENT
The right solution for every water quality: Water softening plant to prevent the build-up of limescale and osmosis plant for a stainless wash result.

WASHING CHEMICALS
The right detergent for every application – perfectly suited to the individual machine. The HYLINE hygienic range.





OUR VISION

Wash without water

Intensive market research has shown that our customers expect warewashing technology that combines efficiency with optimal performance. We are focused on meeting these demands and they form the foundation of our vision to "wash without water". This vision is our continuous incentive to break new ground in order to constantly reduce the consumption of water, energy and chemicals. We continue pursuing this goal methodically and with innovative solutions.

THE COMPANY

We are HOBART

HOBART is one of the world's leading manufacturers of commercial warewashing technology and a well known supplier of cooking, food preparation, and environmental technology. Established in 1897 in Troy, Ohio, today HOBART employs more than 6,900 employees around the world. At our manufacturing plant in Offenburg, Germany, HOBART develops, produces, and distributes warewashing technology worldwide. The hotel and catering trade, cafeterias, bakeries and butcher shops, supermarkets, airlines, cruise ships, automotive suppliers, research centres and pharmaceutical companies all over the world swear by our innovative products, which have proven for over 125 years.



HOBART

LET'S MAKE IT
HAPPEN!

MADE IN GERMANY

We provide this promise of quality to our customers, and it represents our personal standard upheld by all our staff at HOBART.

made in germany

smartclean
smartgreen

OUR FOCUS

Innovative – economical – sustainable

This is our philosophy. With customer benefits always in focus, we continue to develop our products further. Our group's Technological Centre, and our own Innovation Centre for Warewashing Technology at our headquarters in Germany, make this possible. Here, our innovative powers are combined to create products offering genuine added value for our customers. For us, being economical means delivering low operating costs and consuming few resources. For us, being sustainable means responsible handling of resources and a sustainable energy policy. This applies not only to the product in use, but in general to all areas of the organisation, such as purchasing or manufacturing.

HOBART SERVICE

Competent – fast – reliable

HOBART offers a worldwide service partner network for all products. These technicians always carry out maintenance and repair work competently, quickly and reliably. Thanks to regular trainings and many years of experience, they have detailed product knowledge and will help you so that you can focus on your business.

GERMANY/AUSTRIA
HOBART GMBH
Robert-Bosch-Straße 17 I 77656 Offenburg
Phone: +49 781 600-0 I info@hobart.de
www.hobart.de
Central sales: +49 180 300 0068

Service – After-sales Service:
Germany: +49 800 600 1313
Austria: +43 820 240 599

AUSTRALIA
HOBART FOOD EQUIPMENT
Unit 1/2 Picken Street I Silverwater NSW I 2128
Phone: +61 2 9714 0200
www.hobartfood.com.au

BELGIUM
HOBART BELGIUM
Industriestraat 6 I 1910 Kampenhout
Phone: +32 16 60 60 40
sales@hobart.be I www.hobart.be

DENMARK
HOBART SCANDINAVIA APS
Håndværkerbyen 27 I 2670 Greve
Phone: +45 43 90 50 12
salg@hobart.dk I www.hobart.dk

FRANCE
COMPAGNIE HOBART
ZI PARIS EST - Allée du 1er Mai - B.P. 68
77312 MARNE LA VALLEE Cedex 2
Phone: +33 1 64 11 60 00
contact@hobart.fr I www.hobart.fr

ITALY
***ITW* APPLIANCE COMPONENTS SRL**
DIVISIONE HOBART ITALIA
Via Visconti di Modrone, 7 I 20122 Milano
info@hobart.it I www.hobart.it

JAPAN
HOBART (JAPAN) K.K.
Suzunaka Building Omori
6-16-16 Minami-Oi I Shinagawa-ku I Tokyo 140-0013
Phone: +81 3 5767 8670
info@hobart.co.jp I www.hobart.co.jp

KOREA
HOBART KOREA LLC
7th Floor I Woonsan Bldg I 108 I Bangi-dong
Songpa-gu I Seoul 138-050
Phone: +82 2 34 43 69 01
contact@hobart.co.kr
www.hobart.co.kr

NETHERLAND
HOBART NEDERLAND B.V.
Pompmolenlaan 12 I 3447GK Woerden
Phone: +31 348 46 26 26
info@hobart.nl I www.hobart.nl

NORWAY
HOBART NORGE
Gamle Drammensvei 120 A I 1363 HØVIK
Phone: +47 67 10 98 00
post@hobart.no I www.hobart.no

SINGAPORE
HOBART INTERNATIONAL (S) PTE LTD
158 I Kallang Way I #06-03/05
Singapore 349245
Phone: +65 6846 7117
enquiry@hobart.com.sg
www.hobart.com.sg

SPAIN
HOBART ESPAÑA
DIVISION DE *ITW* ESPAÑA, S.L.U.
Ctra de Ribes KM 31,7
08520 Les Franqueses del Vallés, Barcelona
Phone: +34 938 605 020
info@hobart.es I www.hobart.es

SWEDEN
HOBART SCANDINAVIA APS
Varuvägen 9 I 125 30 Älvsjö
Phone: +46 8 584 50 920
info@hobart.se I www.hobart.se

SWITZERLAND
GEHRIG GROUP AG
Bäulerwisenstrasse 1 I 8152 Glattbrugg
Phone: +41 43 211 56-56
info@gehriggroup.ch
www.gehriggroup.ch

THAILAND
HOBART (THAILAND)
43 Thai CC Tower Building I 31st FL
Room No. 310-311 I South Sathorn Rd.
Yannawa I Sathorn I Bangkok I 10120
Phone: +66 2 675 6279 81
enquiry@hobartthailand.com
www.hobartthailand.com

UNITED KINGDOM
HOBART UK
Southgate Way I Orton Southgate
Peterborough I PE2 6GN
Phone: +44 844 888 7777
customer.support@hobartuk.com
www.hobartuk.com

OTHER COUNTRIES
HOBART GMBH
Robert-Bosch-Straße 17 I
77656 Offenburg I Germany
Phone: +49 781 600-2820
info-export@hobart.de
www.hobart-export.com

Die Angaben in diesem Prospekt beruhen auf dem Stand 04/2026. Technische Änderungen oder Änderungen der Ausführung bleiben vorbehalten.

The details given in this brochure are correct as of 04/2026. We reserve the right to technical or design modifications.

Document non contractuel. Les indications de ce prospectus sont conformes à la mise à jour de 04/2026. Nous nous réservons le droit de modifier les données ou les configurations techniques de nos machines.

FSC® www.fsc.org
MIX
Paper | Supporting responsible forestry
FSC® C084513

PR-0124-0426-H-en