

THORN

Urba

For sophistication and comfort in urban life



Discover Urba

Versatile. Comfortable. Elegant

- Minimalist styling
- Distinctive slim linear lines
- Elegantly rounded corners

Exclusively designed for Thorn by
Wilmotte & Industries


Minimalist styling

Simple and elegant




Sophisticated high performance urban lantern for new and renovation projects

With distinctive slim linear lines which flow continuously between the lantern and column, Urba is simple, elegant and ideal for new and renovation projects. Minimalist styling combined with contrasting colour tones make Urba sympathetic with both modern and traditional environments. Urba conveys quality and innovation. Sophisticated by day and revealing by night, it creates a unique signature.



elegant

Continuous lines





Dichroic glass

The dichroic glass feature is the main design element of the Urba black version.


Due to its refraction characteristics, the glass is very precise and creates a subtle as well as sophisticated effect.

The LED light source remains visible with a subtle and smooth appearance

A contrast between material and colour is created. The interior of the product is harmonised with the aluminium frame and a deliberate contrast with the black and slightly grained exterior of the product is accentuated.

Urba brings comfort and light ambience in the urban life by being compliant with class G6 and through the quality and shape of the light emitting surface.

$$\text{Luminance} = \frac{\text{Intensity}}{\text{Apparent surface}}$$



Discover Urba

Versatile. Comfortable. Elegant

Urba offers a unique signature: sophisticated by day, revealing by night

Exclusive design by Wilmotte & Industries

Urba is designed for the urban space by world renowned architects, city planners, and designers, Wilmotte & Industries. The luminaire combines Thorn's vision for an understated, minimalist product with Wilmotte & Industries vision for urban lighting. The result is a sophisticated design with no excessive styling.

Urba's distinctive slim linear lines flow continuously from the lantern to the column, softened with elegantly rounded corners. Integrative with modern and traditional environments, Urba's tone and texture is black or dark grey with slight graining on the outside, light and smooth on the inside.



Complete, versatile and harmonised urban lighting

Suitable for new and renovation, street and road projects, Urba offers 3 mounting options (post top, wall and lateral bracket) with a wide choice of coordinated short and long brackets and columns for a complete and fully harmonized urban lighting solution.

Urba fulfills EN13201 lighting classes from S5 to Me2. Integrated control options include bi-power dimming and presence detection.

9 high performance optics for comfort and efficiency

Urba is available in two sizes and with lumen packages from 2 200 to 15 000 luminaire lumens (Lm) using an R-PEC optic and offering 9 different choices of light distribution. Urba provides comfortable, efficient light to reveal the urban landscape. As well as placing light precisely where it's needed with no waste, 2 dedicated optics are optimized for very low disability glare, compliant with G6 class. Comfort is also reinforced by a large and homogeneous light emitting surface. The result is a luminaire which is genuinely sophisticated by day and revealing yet comfortable by night.



Discover Urba



Versatile. Comfortable. Elegant

A complete collection of brackets and columns for a fully harmonised urban lighting solution

- Large choice of decorative column packages to match various applications with consistent design
- High quality material of brackets and columns provide strength, durability and recyclability
- Compliant with EN40 for installation safety
- Exclusively designed for Thorn

Aluminium range

- Unique aesthetics with continuous lines from the lantern to the column




Dedicated aluminium range, no discontinuity between base of the luminaire and column

	int. Ø60mm	int. Ø76mm
Black		
4m	96270899	96270903
5m	96270901	96270904
6m	96270902	96270905
Dark Grey		
4m	96270906	96270909
5m	96270907	96270910
6m	96270908	96270911




Galvanised steel columns and brackets

- Long and short brackets (single, double, wall) are available



Galvanised steel brackets and columns

Black	1 x bracket 0,8m	2 x bracket 0,8m	2 x bracket 0,45m
5m	96270912	-	-
6m	96270913	96270916	96270919
7m	96270914	96270917	96270920
8m	96270915	96270918	96270921
Dark Grey			
5m	96270922	-	-
6m	96270923	96270926	96270929
7m	96270924	96270927	96270930
8m	96270925	96270928	96270931



	Bracket type	Arm length	Pole top Ø	Net wt	Black	Dark Grey
	Single bracket	1x800mm	76mm	3.0	96270884	96270892
	Double bracket	2x800mm	76mm	6.0	96270888	96270895
	Wall bracket	800mm	-	3.0	96270890	96270896
	Double bracket	2x450mm	76mm	5.0	96270889	96270894
	Wall bracket	450mm	-	2.0	96270891	96270897

Discover Urba



Versatile. Comfortable. Elegant

Optimised for comfort


In many urban applications, comfort is a key criteria. Urba's geometry has been designed to reinforce comfort.

Urba is a comfortable luminaire that fulfills reduced glare requirements. With the 2 dedicated optics SC (Street Comfort) and PWC (Pedestrian Walkways & Comfort) Urba is compliant with class G6. An optimal reduction of glare for urban areas (TI, disability glare), as well as pedestrian areas (glare index, discomfort glare) is achieved.


This comfort corresponds to a level of intensity at a defined angle below the horizon:



2 optics dedicated to comfort



Height: 6m
Spacing: 20m
Road width: 7m
SC Optic - Street comfort: dedicated to urban areas with traffic
Glare intensity class: G6




Height: 4m
Spacing: 12m
Road width: 7m
PWC Optic - Pedestrian comfort: dedicated to pedestrian and cycle areas
Glare intensity class: G6


Optimised light emitting surface

When designing Urba, Thorn's optical team focused on the quality and the geometry of the apparent lit surface in order to reduce its luminance contrast. At night the white diffusing deflector reveals the unique light signature of Urba and creates a light ambiance while limiting glare.

Luminance meter



Urba SC + deflector



Luminaire with optic without glare controls

From the start, Urba has been designed as a perfect solution to the following equation:

$$\text{Luminance} = \frac{\text{Intensity}}{\text{Apparent surface}}$$

Prismatic glass

On request, a prismatic glass (EPR) can be selected for pedestrian applications where comfort and ambiance prevail on performance. This prismatic glass allows to limit obtrusive intensities significantly.



Product Features

For sophistication and comfort in urban life

Key Features

- Exclusively designed for Thorn by world renowned architects, city planners and designers Wilmotte & Industries
- Unique signature at day and night thanks to an optical system designed with special care for comfort (G6)
- Outstanding versatility: 9 optics, lumen packages up to 15 000 lumen, 2 sizes, 3 mounting options to fulfill a wide scope of projects (new and renovation) from S5 to Me2
- Latest generation LED technology with integrated controls to minimise energy and maintenance costs
- Harmonised bracket and column packages for a smooth integration into the urban landscape

Applications

- Minor and main roads
- Walking/cycling paths
- Pedestrian crossings
- Car parks
- Roundabouts and junctions
- Business areas with car traffic
- Building surroundings

LED Lamp Information

- From 12 LED to 84 LED
- Lifetime:
 - 100 000 hours @B10L70 @Ta25°C
 - 83 000 hours @B10L80 @Ta25°C
 - up to 100 000 hours @B10L70 @Ta50°C
 - up to 83 000 hours @B10L80 @Ta50°C
- Self protecting feature at Ta > 50°C
- Luminaire efficacy up to 100 lumen/W
- up to 7 000 lumen (Urba Small)
- up to 15 000 lumen (Urba Large)
- Colour Temperature 3000K and 4000K, but also 5700K
- CRI: 70
- ULOR: 0

Standards

Luminaire:



Brackets with coordinated columns:



Materials/Finish

Luminaire:

Body: die cast aluminium – two options: dark grey or black textured finish

Glass: tempered flat glass or dichroic flat glass (5mm).

 Prismatic glass on request

Frame: aluminium - powder polycarbonate, metallised aluminium and varnish

Deflector: ABS anti-UV white (RAL 9016)

Brackets with coordinated columns:

Painted galvanised steel, dark grey or black textured finish.

Two diameter conical columns dedicated to Urba post top lantern:

Painted aluminium, dark grey or black textured finish

Installation/Mounting

Luminaire:

Supplied complete and ready to install, in a single box.

Pre-wired post-top versions with 8m (small version) or 10m (large version) H07RN-F cable. The following options are available: side-entry mounting Ø60mm with adjustable tilt angles : 0, -5°, -10°, post-top mounting Ø60mm and Ø76mm.

Weight: 12kg (small version) and 17kg (large version)

Brackets with coordinated columns:

Dedicated range of columns and brackets.

Recommended heights for Urba small : 4 to 6m, for

Urba large: 6 to 8m. Columns delivered with anchoring bolts.

Aluminium columns (diameters: internal 76mm, external 96mm – internal 60mm and external 81mm) with flange mountings 200x200mm.

Galvanised steel columns with flange mountings:

300x300mm

Specification

To specify Urba luminaire state:

Highly designed urban street lantern with 2 sizes, 7 mounting options, 3 enclosures, 9 light distributions with 2 dedicated optics to comfort (G6). Efficient (up to 100 lumen/W) R-PEC optic. Side entry and post top mountings, 60mm and 76mm diameters, with tilt adjustments. Wide range of intelligent lighting control solutions from stand alone dimming to remote control.

As Thorn Urba

To specify Urba brackets and columns state:

Wide range of coordinated short and long galvanised steel brackets, diameter 76mm top. Cylindrical conical galvanised steel columns up to 8m. Dark grey and black textured finish.

2 diameter aluminium cylindrical conical columns up to 6m.


Dark grey and black textured finish.

As Thorn Urba brackets and columns





Luminaire dimensions

Urba Large




Lateral mounting (MLE)





Post top mounting (MTP)

Urba Small








Lateral mounting (MLE)



Post top mounting (MTP)

Bracket dimensions



Ordering Guide

Configuration guide

Example SAP designation

URBA	S	36L	50	NR	GY	CLO	BP	MD	10K	-	CL2	W10M	MTP60	L740	
														L730	3000 K / IRC 70
														L740	4000 K / IRC 70
														L757	5700 K / IRC 70
													MLE		Lateral mounting
													MTP60		Post top mounting Ø60mm
													MTP76		Post top mounting Ø76mm
												W8M			Pre-wired, 8m length (small version)
												W10M			Pre-wired, 10m length (large version)
												WxM			Pre-wired, xm length
												-			No cable
											CL1				Class 1 Electrical
											CL2				Class 2 Electrical
											-				Not required
											PM				Mini photocell (for Class I only)
									4 kv						4kV protection
									10kv						10kV protection (for Class I only)
								PD							Pedestrian detection
								MD							Motorised and pedestrian detection
							BP								Bi-Power (50% for 8hrs)
							BPx-xx								Bi-Power
							BPL								Bi-power, additional wire
							LRT								Bi-power, reversed wire
							RF								Radio frequency control
							PL								Powerline control
							HFA								Analogue (1-10V) dimmable
							HFX								DALI dimmable
						CLO									Constant Light Output (Not required)
					GY										Dark grey - with clear glass
					BK										Black - with dichroic glass
				RC											Road & Comfort optic
				RWET											Road Wet optic
				NR											Narrow Road optic
				WR											Wide Road optic
				WSC											Wide Street & Comfort optic
				EWSC											Extra Wide Street & Comfort optic
				IVS											Pedestrian Crossing optic
				SC											Street & Comfort optic
				PWC											Pedestrian Walkways & Comfort optic
			35												350mA
			50												500mA
			70												700mA
			xxx												xxmA drive current
		12L													12 LEDs (small body)
		24L													24 LEDs (small body)
		36L													36 LEDs (small body)
		48L													48 LEDs (large body)
		60L													60 LEDs (large body)
		72L													72 LEDs (large body)
		84L													84 LEDs (large body)

How to order your Urba.

One of the main features of Urba is that all of the different options and variants can be specified, in order to make it easier to order your Urba we have produced this configurator which allows you to create the exact product you require from the options and variants listed. Once you have created your unique designation then your sales representative can quickly find out the SAP code, associated price and time schedule for delivery.

Optics table

SAP description	Typical application and type of road	Lighting classes	Glare class
SC	Street Comfort	S and M classes	G6
PWC	Cycle and pedestrian path		G6
RC	Road comfort	Me1, Me2	G4
NR	Narrow road	Me3, Me4, Me5, Me6	G3
WR	Wide road	Me3, Me4, Me5, Me6	G4
RWET	Wet road condition	MeW	G6
WSC	Wide Street Comfort	S class	G3
EWSC	Extra Wide Street Comfort	S class	G3
IVS	Pedestrian crossing		NA



Thorn Lighting Main Offices

Australia

Thorn Lighting Pty Limited
43 Newton Road, Wetherill Park, NSW 2164
Tel: (02) 8786 6000
Fax: (02) 9612 2700
infoaustralia@zumtobelgroup.com
www.thornlighting.com.au

Austria

ZG Lighting Austria GmbH
Beratungszentrum Wien,
Niederösterreich, Burgenland,
Donau-City-Strasse 1, 1220 Wien
Tel: (43) 1 258 26 01-0
Fax: (43) 1 258 26 01-82845
welcome@zumtobel.at
www.thornlighting.at

Benelux

ZG Lighting Benelux
Rijksweg 47 A
Industriezone Puurs Nr. 442
BE-2870 Puurs, Belgium
Tel: (32) 3 860 16 60
Fax: (32) 3 860 16 69
info.be@zumtobelgroup.com
www.thornlighting.be

Central Asia, Africa, Turkey

Thorn Europhone S.A.
156 Boulevard Haussmann
75379 Paris Cedex 08, France
Tel: (33) 1 49 53 62 62
Fax: (33) 1 49 53 62 40
info.paris@thornlighting.com
www.thornlighting.fr

China

Thorn Lighting (Guangzhou) Limited
No. 12 Lianyun Road, Eastern Section, GETDO
Guangzhou 510530 P.R. China
Tel: (86) 20 2232 6000
Fax: (86) 20 3228 1777
cn.sales@zumtobelgroup.com

Croatia

ZG Lighting d.o.o.
Radnička cesta 80
HR - 10000 Zagreb, Croatia
Tel: (385) 1 640 40 80
welcome@zumtobel.hr
www.thornlighting.com.hr

Cyprus, Greece, Malta and Portugal

ZG Lighting Southern Europe and Latam, S.L.
C/ Inocencio Fernández, 81
28035 Madrid (Spain)
Tel: (34) 91 659 30 76
info.med@zumtobelgroup.com
www.thornlighting.com

Czech Republic

Thorn Lighting CS spol. s r.o.,
Jankovcova 2, 170 00 Praha 7
Tel: (420) 266 782 200
Fax: (420) 266 782 201
thorn.cz@zumtobelgroup.com
www.thornlighting.cz

Denmark

Thorn Lighting A/S
Stamholmen 155, 5. sal, 2650 Hvidovre,
Tel: (45) 76 96 36 00
Fax: (45) 76 96 36 01
thorninfo.dk@zumtobelgroup.com
www.thornlighting.dk

France

Thorn Europhone SA
156 Boulevard Haussmann,
75379 Paris Cedex 08, France
Tel: (33) 1 49 53 6262
thorn.promotion@zumtobelgroup.com
www.thornlighting.fr

Germany

ZG Licht Nordwest GmbH
Beratungszentrum Hamburg (Zentrale)
Stahlthwiete 20
22761 Hamburg
Tel: (49) 40 53 53 81-0
Fax: (49) 40 53 53 81-99
hamburg@zumtobelgroup.com
www.thornlighting.de

Hong Kong, Taiwan

Thorn Lighting (Hong Kong) Limited
Unit 4301, Level 43, Tower 1, Metroplaza, 223
Hing Fong Road, Kwai Chung, N.T., Hong Kong
Tel: (852) 2578 4303
Fax: (852) 2887 0247
info.hk@zumtobelgroup.com
www.thornlighting.hk
www.thornlighting.tw

India

Thorn Lighting India Pvt. Ltd.
Unit No. 404, Western Edge-I
4th Floor, Located at CTS 163A/165
Western Express Highway, Borivali (E)
400 066, Mumbai, India
Tel: (91) 22 40481900
Fax: (91) 22 40481900
international_sales@zumtobel.com
www.thornlighting.in

Ireland

Thorn Lighting (Ireland) Limited
Century House, Harolds Cross Road,
Dublin 6W
Tel: (353) 1 4922 877
Fax: (353) 1 4922 724
dublinsales@zumtobelgroup.com
www.thornlighting.co.uk

Italy

ZG Lighting Srl socio unico
Via G Di Vittorio, 2, Cadriano di Granarolo,
Bologna 40057, Italy
Tel: (39) 051 763391
Fax: (39) 051 763088
thorn.it@zumtobelgroup.com
www.thornlighting.it

Kingdom of Saudi Arabia

Thorn Lighting
Jeddah 21411, Madina Road,
Sulaiman Building, P.O.Box 222
Tel: (966) 2 653 3077
Fax: (966) 2 653 3153
marketing.mena@zumtobelgroup.com
www.thornlighting.ae

Korea

1506, Union Centre BLDG,
837-11, Yeoksam-dong, Kangnam-gu, Seoul
Tel: (82) 2 565 8823-4
Fax: (82) 2 565 8827
info.kr@zumtobelgroup.com
www.thornlighting.kr

Latin America

ZG Lighting Southern Europe and Latam, S.L.
Calle Orinoco 90, planta 21, Of. 03
Las Condes, Santiago de Chile (Chile)
Tel: (56) 22 573 77 80
info.latam@zumtobelgroup.com
www.thornlighting.es
www.thornlighting.com

New Zealand

Thorn Lighting (NZ) Ltd
399 Rosebank Road, Avondale,
Auckland 1026, PO Box 71134, Rosebank,
Auckland 1348
Tel: (64) 9 828 7155
Fax: (64) 9 828 7591
NZakth.info@zumtobelgroup.com
www.thornlighting.co.nz

Middle East - Bahrain, Kuwait, Jordan, Palestine, Lebanon, Iran, Yemen

Thorn Lighting Ltd.
Al Shoala Building, Office 301,
Block E, Airport Road, P.O.Box 22672,
Deira, Dubai, UAE
Tel: (971) 4 294 0181
Fax: (971) 4 294 8838
bobby.sudhir@thornlighting.com
www.thornlighting.ae

Netherlands

ZG Lighting Benelux
Zinkstraat 24-26
4823 AD Breda
Netherlands
Tel: (31) 76 541 76 64
Fax: (31) 76 541 54 98
info@zumtobel.nl
www.thornlighting.nl

Norway

Thorn Lighting AS
Strømsveien 344, 1081 Oslo
Tel: (47) 22 82 07 00
info.no@zumtobelgroup.com
www.thornlighting.no

Oman

Thorn Lighting c/o Delta Co. Ltd. LLC.
P.O.Box: 1537; Postal Code 112 RUWI
Tel: (968) 2470 8483
Fax: (968) 2470 8502
bobby.sudhir@thornlighting.com
www.thornlighting.ae

Poland

ZG Lighting Polska Sp. z o.o.
Ul. Woloska 9A
02-583 Warszawa
Polska
Tel: (48) 22 856 74 31
zgpolkska@zumtobelgroup.com
www.thornlighting.pl

Qatar

Thorn Lighting c/o Arabian Link Trading
Cleopatra Building, Office No. 8, First Floor
P.O.Box 6026, Doha, State of Qatar
Tel: (974) 4432 1445
Fax: (974) 4432 1445
dakshata.sathye@zumtobelgroup.com
www.thornlighting.ae

Romania

Zumtobel Lighting Romania SRL
Str. Radu Greceanu 2, Sector 1
RO-012225, Bucuresti, Romania
Tel: (40) 31225 38 01
ro.welcome@zumtobelgroup.com
www.thornlighting.com

Russia

Thorn Lighting
Skakovaya str., h. 17, bl. 2, office 2110
125040, Moscow
Tel: (7) 495 981 35 41
Fax: (7) 495 981 35 42
office.moscow@zumtobelgroup.com
www.thornlighting.ru

Serbia

ZG Lighting d.o.o.
Beton hala - Karadordeva 2-4
11000 Beograd
Serbia
Tel: (381) 69 5444802
welcome.rs@zumtobel.com
www.thornlighting.com

Singapore

Thorn Lighting (Singapore) Pte Ltd
5 Kaki Bukit Crescent, 04-02 Koyotech
Building, 416238 Singapore
Tel: (65) 6844 5800
Fax: (65) 6745 7707
info.sg@zumtobelgroup.com

Slovenia

ZG Lighting d.o.o.
Štukljeva cesta 46, 1000 Ljubljana
Tel: (386) 1 56 09 820
welcome.si@zumtobel.com
www.thornlighting.com

South + East Africa

Thorn Lighting Ltd
Durhamgate, Spennymoor,
County Durham, DL16 6HL
Main Switchboard
United Kingdom
Tel: (44) 1388 42 00 42
www.thornlighting.co.uk

Spain

ZG Lighting Southern Europe and Latam, S.L.
C/ Inocencio Fernández, 81
28035 Madrid (Spain)
Tel: (34) 91 659 30 76
info.spain@zumtobelgroup.com
www.thornlighting.es

Sweden

Thorn Lighting AB
Industrigatan, Box 305, SE-261 23
Landskrona
Tel: (46) 418 520 00
Fax: (46) 418 265 74
thorninfo.se@zumtobelgroup.com
www.thornlighting.se

Switzerland

Zumtobel Licht AG
Thurgauerstrasse 39, 8050 Zürich
Tel: (41) 44 305 35 35
Fax: (41) 44 305 35 36
info@thornlighting.ch
www.thornlighting.ch

United Arab Emirates - Abu Dhabi

Thorn Gulf LLC
Obeid Khaleefa Al Jaber Building
Office No. 01, Floor '0' (zero)
Behind National Bank of Abu Dhabi,
Tel: (971) 2 634 4144
Fax: (971) 2 634 4116
salesthorngulf@zumtobelgroup.com
www.thornlighting.ae

United Arab Emirates - Dubai

Thorn Gulf LLC
Al Shoala Building, Office 301,
Block E, Airport road, P.O. Box 22672,
Deira, Dubai, UAE
Tel: (971) 4 294 8938
Fax: (971) 4 294 8838
salesthorngulf@zumtobelgroup.com
www.thornlighting.ae

United Kingdom

Thorn Lighting Ltd
Durhamgate, Spennymoor,
County Durham, DL16 6HL
Tel: (44) 1388 42 00 42
Fax: (44) 1388 42 01 56
brochures.uk@zumtobelgroup.com
www.thornlighting.co.uk

www.thornlighting.com

Thorn Lighting is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated. Printed on Luxo Light.

Publication No: URBA_2014 (IS) Publication Date: 11/14