



Demi

Office reviver





Clifford Chance, Dubai, UAE /
Architecture: Bluehaus group /
Photography: Alex Atak



Private office / Visualisation: Goblen Studio

KPMG, Tauranga, New Zealand / Architecture: Warren and Mahoney / Photography: Amanda Aitken Photography





Gemeentehuis Emmen, Emmen, The Netherlands / Architecture: De Zwarte Hond / Photography: Intra Lighting

IKEA, Dubai, UAE / Developer: GRDI / Consultant: Kelly Taylor Associates / Lighting design: Reynard Lighting / Photography: Rebecca Hobday



IKEA, Dubai, UAE / Developer: GRDI
Consultant: Kelly Taylor Associates
Lighting design: Reynard Lighting
Photography: Rebecca Hobday



Secondary school of economics, Murska Sobota, Slovenia
Architecture: Rok Benda, Primož Hočevnar, Mitja Zorc
Photography: Miran Kambič




Gimnazija Nova Gorica, Nova Gorica, Slovenia / Photography: Intra Lighting
Secondary school of economics, Murska Sobota, Slovenia / Photography: Miran Kambič

Full flexibility of space arrangement.

Demi represents a high quality lighting solution for office buildings. It provides maximum efficiency and a uniform illumination everywhere.

It's perfect for areas, where you need maximum flexibility of space arrangement or when the final layout is not yet known. The universal luminaire body can be installed in plasterboard or modular ceilings, ensuring the best match with the interior space design..



Family range

LUMINAIRE LUMINOUS FLUX:

1700 - 8500 lm

OPTICS

LGO, SOP, DPR, HMP

LED COLOUR

830, 840, 930, 940,
TW 2700-6500K

IP PROTECTION

IP20, IP43, IP44



Office friendly

It creates not only a pleasant illumination but also a feel-good working environment, that supports the creation.

UGR
<16



Dynamic as the sun with tunable white

Activating and motivating / cloudy day

Colour temperature: 6000 K

Total illuminance* > 800 lux

* Total illuminance includes daylight and artificial lighting.



Dynamic as the sun with tunable white

Boosting concentration / sunshine

Colour temperature: 4000 K

Total illuminance* > 1000 lux

* Total illuminance includes daylight and artificial lighting.



Dynamic as the sun with tunable white

Calming lighting scenario / sunset

Colour temperature: 2700 K

Total illuminance* > 500 lux

* Total illuminance includes daylight and artificial lighting.



Wide range of optics

LGO - low glare optic for maximum
efficiency and glare control

SOP - for soft, homogenous light distribution


DPR - high visual comfort

HMP - soft light that allows glare-free use



Designed for bandraster and climate ceilings


Demi R AIR is designed for bandmaster railprofile ceilings, with aircaps allowing air to flow between the housing and reflector.




Easy installation

Suitable for plasterboard ceilings with heights
between 7 and 55 mm.





High visual
comfort
(UGR<16)




Different sizes
and optics
available

Made in Europe

Our products are carefully planned, manufactured and tested in order to ensure reliable operation throughout their life span, to limit the environmental impact as little as possible and to co-create pleasant living conditions. Quality is our highest priority and way of life.

High standards and reliable quality of our products were certified by numerous organisations.



7

Year warranty

100%

Tested products

ISO

Certified productions

* intra lighting

Light control

Wireless lighting control system Casambi offers a big variety of possibilities for a user to interact with the lighting. The app for smartphones and tablets is the most elaborated user interface. Besides the app, traditional wall switches, push buttons, Casambi's own scene controllers and many other control points can be used.

